HASIL PERHITUNGAN

ANALISIS REGRESI SEDERHANA MASA KERJA TERHADAP KINERJA

Notes

Output Created		08-JUL-2019 20:59:25
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X2 /SAVE PRED RESID.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,06
	Memory Required	1500 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	PRE_4	Unstandardized Predicted Value
	RES_4	Unstandardized Residual

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	X2[b]	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.380[a]	.145	.097	3.651

a. Predictors: (Constant), X2

b. Dependent Variable: Y

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	40.548	1	40.548	3.041	.098[b]
	Residual	240.002	18	13.333		
	Total	280.550	19			

a. Dependent Variable: Y

b. Predictors: (Constant), X2

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	26.880	4.925		5.458	.000
	X2	.818	.469	.380	1.744	.003

a. Dependent Variable: Y

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N

Predicted Value	31.79	37.52	35.35	1.461	20
Residual	-6.245	7.300	.000	3.554	20
Std. Predicted Value	-2.437	1.484	.000	1.000	20
Std. Residual	-1.710	1.999	.000	.973	20

a. Dependent Variable: Y

HASIL PERHITUNGAN VALIDITAS

1. Variabel Budaya Organisasi

2.

Correlations

		VAR00001	VAR00002	VAR00003	VAR00004	VAR00005	VAR00006	VAR00007
VAR00001	Pearson Correlation	1	.789**	.948**	.909**	.477	.948**	.934**
	Sig. (2-tailed)		.007	.000	.000	.163	.000	.000
	N	10	10	10	10	10	10	10
VAR00002	Pearson Correlation	.789**	1	.943**	.868**	.667*	.745*	.918**
	Sig. (2-tailed)	.007		.000	.001	.035	.013	.000
	N	10	10	10	10	10	10	10
VAR00003	Pearson Correlation	.948**	.943**	1	.940**	.602	.898**	.979**
	Sig. (2-tailed)	.000	.000		.000	.065	.000	.000
	N	10	10	10	10	10	10	10
VAR00004	Pearson Correlation	.909**	.868**	.940**	1	.768**	.859**	.976**
	Sig. (2-tailed)	.000	.001	.000		.009	.001	.000
	N	10	10	10	10	10	10	10
VAR00005	Pearson Correlation	.477	.667*	.602	.768**	1	.559	.734*
	Sig. (2-tailed)	.163	.035	.065	.009		.093	.016
	N	10	10	10	10	10	10	10
VAR00006	Pearson Correlation	.948**	.745*	.898**	.859**	.559	1	.921**
	Sig. (2-tailed)	.000	.013	.000	.001	.093		.000
	N	10	10	10	10	10	10	10
VAR00007	Pearson Correlation	.934**	.918**	.979**	.976**	.734*	.921**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.016	.000	
	N	10	10	10	10	10	10	10

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

3. Variabel Komitmen Organiasai

Correlations

		VAR00008	VAR00009	VAR00010	VAR00011
VAR00008	Pearson Correlation	1	.848**	.667*	.905**
	Sig. (2-tailed)		.002	.035	.000
	N	10	10	10	10
VAR00009	Pearson Correlation	.848**	1	.848**	.969**
	Sig. (2-tailed)	.002		.002	.000
	N	10	10	10	10
VAR00010	Pearson Correlation	.667*	.848**	1	.905**
	Sig. (2-tailed)	.035	.002		.000
	N	10	10	10	10
VAR00011	Pearson Correlation	.905**	.969**	.905**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	10	10	10	10

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

3. Variabel Kinerja

Correlations

		VAR00012	VAR00013	VAR00014	VAR00015	VAR00016	VAR00017	VAR00018	VAR00019
VAR00012	Pearson Correlation	1	.592	.416	.758*	.758*	.535	.908**	.816**
	Sig. (2-tailed)		.072	.232	.011	.011	.111	.000	.004
	N	10	10	10	10	10	10	10	10
VAR00013	Pearson Correlation	.592	1	.518	.789**	.789**	.701*	.569	.895**
	Sig. (2-tailed)	.072		.125	.007	.007	.024	.086	.000
	N	10	10	10	10	10	10	10	10
VAR00014	Pearson Correlation	.416	.518	1	.351	.351	.468	.421	.572
	Sig. (2-tailed)	.232	.125		.320	.320	.173	.226	.084
	N	10	10	10	10	10	10	10	10
VAR00015	Pearson Correlation	.758*	.789**	.351	1	1.000**	.926**	.705*	.948**
	Sig. (2-tailed)	.011	.007	.320		.000	.000	.023	.000
	N	10	10	10	10	10	10	10	10
VAR00016	Pearson Correlation	.758*	.789**	.351	1.000**	1	.926**	.705*	.948**
	Sig. (2-tailed)	.011	.007	.320	.000		.000	.023	.000
	N	10	10	10	10	10	10	10	10
VAR00017	Pearson Correlation	.535	.701*	.468	.926**	.926**	1	.514	.863**
	Sig. (2-tailed)	.111	.024	.173	.000	.000		.128	.001
	N	10	10	10	10	10	10	10	10
VAR00018	Pearson Correlation	.908**	.569	.421	.705*	.705*	.514	1	.786**
	Sig. (2-tailed)	.000	.086	.226	.023	.023	.128		.007
	N	10	10	10	10	10	10	10	10
VAR00019	Pearson Correlation	.816**	.895**	.572	.948**	.948**	.863**	.786**	1
	Sig. (2-tailed)	.004	.000	.084	.000	.000	.001	.007	
	N	10	10	10	10	10	10	10	10

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

HASIL UJI RELIABILITAS (X1)

Notes

Output Created		08-JUL-2019 22:49:10
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Butir_1 Butir_2 Butir_3 Butir_4 Butir_5 Butir_6 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,01

Case Processing Summary

		N	%
Cases	Valid	10	100.0
	Excluded[a]	0	.0
	Total	10	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.959	6

HASIL UJI RELIABILITAS (X2)

Notes

Output Created		08-JUL-2019 22:51:18
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Butir_7 Butir_8 Butir_9 Butir_10 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,01

Case Processing Summary

		N	%
Cases	Valid	10	100.0
	Excluded[a]	0	.0
	Total	10	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.873	4

HASIL UJI RELIABILITAS (X2)

Notes

Output Created		08-JUL-2019 22:51:37
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Butir_11 Butir_12 Butir_13 Butir_14 Butir_15 Butir_16 Butir_17 Butir_18 Butir_19 Butir_20 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

Case Processing Summary

		N	%
Cases	Valid	10	100.0
	Excluded[a]	0	.0
	Total	10	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.962	10

KUESIONER PENELITIAN

NO KUESIONER : ☐

PENGARUH TINGKAT PENDIDIKAN DAN GAJI TERHADAP KINERJA KARYAWAN BMT ASYAFI'IYAH NYUKANG HARJO TAHUN 2019

Responden yangterhormat, sayaadalahmahasiswa STIE MuhammadiyahPringsewusedangmelaksanakanpenelitianuntukmenyelesaikanstudidanmeraihgelarSarjanaEkonomi.
UntukitusayamohonkesediaanAndauntukmengisidaftarpernyataansesuaidengankondisi yang Andarasakan, agar penelitianinidapatbermanfaatbagikitasemua.
TerimakasihataskerjasamaAndadalampengisiankuesionerini.

A. IDENTITAS RESPONDEN

1. Nama : .....
2. Usia : ……. Tahun
3. JenisKelamin : Laki-Laki ☐ Perempuan ☐
4. PendidikanTerakhir : SD ☐ SLTP ☐ LTA ☐ DIII ☐ S1 ☐ S2 ☐
5. MasaKerja : Tahun

B. DAFTAR PERNYATAAN

PetunjukPengisian

1. Bacalahsetiappernyataandenganteliti
2. Beritanda (√) padakolomtanggapan yang sesuaidenganpersepsiAnda
3. Angka 1 – 5 menunjukkantingkatpersepsiataudukungansikapAndadalamsetiappernyataan
4. Keterangan :
   SS = SangatSetuju Point 5 S = Setuju Point 4
   CS = CukupSetuju Point 3 TS = TidakSetuju Point 2
   STS= SangatTidakSetuju Point 1

A. PernyataanTentang Variabel Tingkat pendidikan (X1), Masa Kerja (X2), Dan Kinerja (Y)

No	Pernyataan	Alternatif jawaban				
		STS	TS	CS	S	SS
		1	2	3	4	5
A	**Tingkat Pendidikan**					
1	Sebelumsaudarabekerja, perludiberikanpelatihan yang mendukungpendidikansaudar					
2	Saudara perlu melanjutkan pendidikan untuk meningktkan kinerja saudara					
3	Setelah saudara bekerja, perusahaan memberikan kesempatan melanjutkan pendidikan ke luar kota, saudara bersedia memenuhi persyaratan tersebu					
4	Perusahaan membuatsuatu program pendidikansesuaidenganjurusanpendidikanpadaposisisaudarabekerjasekaranguntukmeningkatkankinerjasaudara					
5	Perusahaan perlumemberikanpendidikanterlebihdahulujikaadakaryawan yang dimutasikedivisi lain					
6	Saudara senang bekerja pada divisi saudara saat ini					
B	**MasaKerja**					
7	Lamanya waktu masa percobaan atau magangmeningkatkanketerampilandalammelaksanakanpekerjaan.					
8	Lamanya waktu bekerja di perusahaanmeningkatkanpengalamandalammelaksanakan pekerjaan					
9	Lamanya waktu bekerja di posisi saat inimeningkatkanketerampilandalammelaksanakanpekerjaan					
C	**Kinerja**					
10	Standar kualitas kerja yang telah ditetapkan oleh perusahaan dapat saya capai dengan baik dan optimal					
11	Saya mengerjakan suatu pekerjaan dengan penuh perhitungan, cermat dan teliti					
12	Kuantitas kerja saya sudah sesuai dengan standar kerja yang diharapkan oleh perusahaan					
1	Hasil kinerja saudara terkadang melebihi target yang					

No	Pernyataan	Alternatif jawaban				
		STS	TS	CS	S	SS
		1	2	3	4	5
3	diberikan oleh perusahaan					
14	Saya senantiasa datang tepat pada waktunya dan disiplin waktu agar pekerjaan terselesaikan dengan baik					
15	Saya membuat target waktu untuk penyelesaian pekerjaan dan kegiatan					
16	Saya mampu menggunakan waktu dengan efisien dalam melaksanakan tugas pekerjaan yang dibebankan kepada saya					
17	Dengan pengetahuan yang saya miliki, saya dapat menguasai bidang tugas yang saya kerjakan dengan hasil yang baik					
18	Saya mampu menyelesaikan pekerjaan yang sulit tanpa harus meminta bantuan dari rekan kerja.					
19	Selalu berupaya untuk menjalankan tugas pokok sesuai dengan fungsinya.					
20	Saya memiliki komitmen yang tinggi untuk selalu loyal terhadap perusahaan.					

HASIL PERHITUNGAN

ANALISIS REGRESI GANDA

Notes

Output Created		08-JUL-2019 21:00:44
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X2 X1 /SAVE PRED RESID.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,04
	Memory Required	1804 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	PRE_5	Unstandardized Predicted Value
	RES_5	Unstandardized Residual

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	X1, X2[b]	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.421[a]	.177	.080	3.685

a. Predictors: (Constant), X1, X2

b. Dependent Variable: Y

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	49.669	2	24.834	3.829	.0191[b]
	Residual	230.881	17	13.581		
	Total	280.550	19			

a. Dependent Variable: Y

b. Predictors: (Constant), X1, X2

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	24.251	5.916		4.099	.001
	X2	.379	.715	.176	3.530	.004
	X1	.390	.476	.272	2.819	.003

a. Dependent Variable: Y

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	30.43	37.76	35.35	1.617	20
Residual	-5.512	6.621	.000	3.486	20
Std. Predicted Value	-3.046	1.490	.000	1.000	20
Std. Residual	-1.496	1.797	.000	.946	20

a. Dependent Variable: Y

HASIL PERHITUNGAN

ANALISIS REGRESI SEDERHANA PENDIDIKAN TERHADAP KINERJA

Notes

Output Created		08-JUL-2019 20:57:18
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 /SAVE PRED RESID.
Resources	Processor Time	00:00:00,06
	Elapsed Time	00:00:00,06
	Memory Required	1460 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	PRE_3	Unstandardized Predicted Value
	RES_3	Unstandardized Residual

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	X1[b]	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.404[a]	.163	.117	3.611

a. Predictors: (Constant), X1

b. Dependent Variable: Y

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	45.853	1	45.853	3.517	.077[b]
	Residual	234.697	18	13.039		
	Total	280.550	19			

a. Dependent Variable: Y

b. Predictors: (Constant), X1

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	24.697	5.738		4.304	.000
	X1	.579	.309	.404	1.875	.004

a. Dependent Variable: Y

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N

Predicted Value	30.49	37.43	35.35	1.553	20
Residual	-5.382	6.566	.000	3.515	20
Std. Predicted Value	-3.130	1.342	.000	1.000	20
Std. Residual	-1.490	1.818	.000	.973	20

a. Dependent Variable: Y

SEBARAN DATA HASIL UJI COBA TRYOUT

No	Variabel Tingkat Pendidikan							Masa Kerja				Kinerja											
	1	2	3	4	5	6	Total	7	8	9	Total	10	11	12	13	14	15	16	17	18	19	20	TOTAL X1
1	4	4	4	4	4	4	24	4	4	4	12	4	4	4	4	4	4	4	4	4	4	5	45
2	3	3	3	4	5	3	21	5	3	3	11	3	3	3	4	5	3	4	3	3	2	5	38
3	3	3	3	3	3	3	18	3	3	3	9	3	3	3	3	3	3	3	3	3	3	3	33
4	5	5	5	5	5	5	30	5	5	5	15	5	5	5	5	5	5	5	5	5	5	5	55
5	3	3	3	3	3	3	18	3	3	3	9	3	3	3	3	3	3	3	3	3	3	2	32
6	5	5	5	5	5	5	30	2	2	2	6	5	5	5	5	5	5	2	5	5	4	5	51
7	3	5	4	4	5	3	24	3	3	5	11	3	5	4	4	5	3	3	5	5	5	5	47
8	5	5	5	5	5	5	30	5	5	5	15	5	5	5	5	5	5	5	5	5	5	5	55
9	5	5	5	5	4	4	28	5	5	5	15	5	5	5	5	5	5	5	5	5	5	5	55
10	5	5	5	5	5	5	30	5	5	5	15	5	5	5	5	5	5	5	5	5	5	5	55
Jml.	**41**	**43**	**42**	**43**	**44**	**40**		**40**	**38**	**40**	**118**	**41**	**43**	**42**	**43**	**45**	**41**	**39**	**43**	**43**	**41**	**45**	466

SEBARAN DATA HASIL PENGUMPULAN DATA

No	Variabel Tingkat Pendidikan							Masa Kerja				Kinerja											
	1	2	3	4	5	6	Total	7	8	9	Total	10	11	12	13	14	15	16	17	18	19	20	TOTAL X1
1	5	4	5	4	4	4	22	4	4	4	12	4	4	5	4	4	5	4	4	5	5	4	40
2	4	4	4	4	4	4	20	4	4	4	12	4	5	3	4	4	3	4	4	3	4	4	34
3	4	4	3	3	3	3	17	4	4	3	11	5	4	5	5	4	4	3	4	3	2	5	34
4	5	4	5	3	3	3	20	4	4	4	12	4	4	4	5	5	3	3	3	3	3	4	33
5	4	4	3	3	4	4	18	2	1	4	7	3	5	3	2	2	4	4	4	3	4	3	31
6	3	4	3	3	4	3	17	3	2	4	9	4	4	3	3	3	3	3	3	3	3	4	28
7	3	4	3	5	4	4	19	4	4	3	11	4	4	3	3	3	3	3	3	3	3	4	28
8	3	4	3	3	3	3	16	4	3	3	10	4	4	4	4	4	3	3	3	3	3	4	31
9	3	4	3	4	4	4	18	4	4	4	12	3	4	3	3	3	4	4	4	4	4	3	33
10	4	4	5	2	4	3	19	3	3	4	10	3	4	4	3	3	3	3	3	3	3	3	29
11	5	4	3	5	5	5	22	5	5	3	13	3	5	4	5	3	4	4	3	3	3	3	34
12	5	4	3	4	3	3	19	4	4	3	11	4	4	4	4	3	4	4	4	4	3	4	34
13	5	4	3	3	3	3	18	3	3	3	9	3	3	3	3	3	3	3	3	3	3	3	27
14	5	4	4	3	3	3	19	3	3	3	9	5	5	4	4	4	2	4	2	4	2	5	31
15	5	4	3	3	3	3	18	3	3	5	11	3	3	3	3	3	3	3	3	3	3	3	27
16	5	4	3	4	4	4	20	4	3	3	10	3	4	4	5	4	4	4	4	4	4	3	37
17	2	2	2	2	2	2	10	2	2	2	6	4	4	4	4	4	4	3	3	3	3	4	32
18	5	4	3	4	4	4	20	4	4	4	12	4	4	4	4	4	4	3	3	3	3	4	32

No	Variabel Tingkat Pendidikan							Masa Kerja				Kinerja											
	1	2	3	4	5	6	Total	7	8	9	Total	10	11	12	13	14	15	16	17	18	19	20	TOTAL X1
19	5	4	5	4	5	4	23	4	3	4	11	5	5	2	5	2	5	2	5	2	4	5	32
20	3	3	5	3	3	4	17	3	3	3	9	3	3	3	3	3	3	2	3	3	2	3	25
Jml.	83	77	71	69	72	70		71	66	70		75	82	72	76	68	71	66	68	65	64	75	

Tabel r (Koefisien Korelasi Sederhana)
df = 1 - 200

Diproduksi oleh: Junaidi
http://junaidichaniago.wordpress.com

Tabel r untuk df = 1 - 50

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
1	0.9877	0.9969	0.9995	0.9999	1.0000
2	0.9000	0.9500	0.9800	0.9900	0.9990
3	0.8054	0.8783	0.9343	0.9587	0.9911
4	0.7293	0.8114	0.8822	0.9172	0.9741
5	0.6694	0.7545	0.8329	0.8745	0.9509
6	0.6215	0.7067	0.7887	0.8343	0.9249
7	0.5822	0.6664	0.7498	0.7977	0.8983
8	0.5494	0.6319	0.7155	0.7646	0.8721
9	0.5214	0.6021	0.6851	0.7348	0.8470
10	0.4973	0.5760	0.6581	0.7079	0.8233
11	0.4762	0.5529	0.6339	0.6835	0.8010
12	0.4575	0.5324	0.6120	0.6614	0.7800
13	0.4409	0.5140	0.5923	0.6411	0.7604
14	0.4259	0.4973	0.5742	0.6226	0.7419
15	0.4124	0.4821	0.5577	0.6055	0.7247
16	0.4000	0.4683	0.5425	0.5897	0.7084
17	0.3887	0.4555	0.5285	0.5751	0.6932
18	0.3783	0.4438	0.5155	0.5614	0.6788
19	0.3687	0.4329	0.5034	0.5487	0.6652
20	0.3598	0.4227	0.4921	0.5368	0.6524
21	0.3515	0.4132	0.4815	0.5256	0.6402
22	0.3438	0.4044	0.4716	0.5151	0.6287
23	0.3365	0.3961	0.4622	0.5052	0.6178
24	0.3297	0.3882	0.4534	0.4958	0.6074
25	0.3233	0.3809	0.4451	0.4869	0.5974
26	0.3172	0.3739	0.4372	0.4785	0.5880
27	0.3115	0.3673	0.4297	0.4705	0.5790
28	0.3061	0.3610	0.4226	0.4629	0.5703
29	0.3009	0.3550	0.4158	0.4556	0.5620
30	0.2960	0.3494	0.4093	0.4487	0.5541
31	0.2913	0.3440	0.4032	0.4421	0.5465
32	0.2869	0.3388	0.3972	0.4357	0.5392
33	0.2826	0.3338	0.3916	0.4296	0.5322
34	0.2785	0.3291	0.3862	0.4238	0.5254
35	0.2746	0.3246	0.3810	0.4182	0.5189
36	0.2709	0.3202	0.3760	0.4128	0.5126
37	0.2673	0.3160	0.3712	0.4076	0.5066
38	0.2638	0.3120	0.3665	0.4026	0.5007
39	0.2605	0.3081	0.3621	0.3978	0.4950
40	0.2573	0.3044	0.3578	0.3932	0.4896
41	0.2542	0.3008	0.3536	0.3887	0.4843
42	0.2512	0.2973	0.3496	0.3843	0.4791
43	0.2483	0.2940	0.3457	0.3801	0.4742
44	0.2455	0.2907	0.3420	0.3761	0.4694
45	0.2429	0.2876	0.3384	0.3721	0.4647
46	0.2403	0.2845	0.3348	0.3683	0.4601
47	0.2377	0.2816	0.3314	0.3646	0.4557
48	0.2353	0.2787	0.3281	0.3610	0.4514
49	0.2329	0.2759	0.3249	0.3575	0.4473
50	0.2306	0.2732	0.3218	0.3542	0.4432

Tabel r untuk df = 51 - 100

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
51	0.2284	0.2706	0.3188	0.3509	0.4393
52	0.2262	0.2681	0.3158	0.3477	0.4354
53	0.2241	0.2656	0.3129	0.3445	0.4317
54	0.2221	0.2632	0.3102	0.3415	0.4280
55	0.2201	0.2609	0.3074	0.3385	0.4244
56	0.2181	0.2586	0.3048	0.3357	0.4210
57	0.2162	0.2564	0.3022	0.3328	0.4176
58	0.2144	0.2542	0.2997	0.3301	0.4143
59	0.2126	0.2521	0.2972	0.3274	0.4110
60	0.2108	0.2500	0.2948	0.3248	0.4079
61	0.2091	0.2480	0.2925	0.3223	0.4048
62	0.2075	0.2461	0.2902	0.3198	0.4018
63	0.2058	0.2441	0.2880	0.3173	0.3988
64	0.2042	0.2423	0.2858	0.3150	0.3959
65	0.2027	0.2404	0.2837	0.3126	0.3931
66	0.2012	0.2387	0.2816	0.3104	0.3903
67	0.1997	0.2369	0.2796	0.3081	0.3876
68	0.1982	0.2352	0.2776	0.3060	0.3850
69	0.1968	0.2335	0.2756	0.3038	0.3823
70	0.1954	0.2319	0.2737	0.3017	0.3798
71	0.1940	0.2303	0.2718	0.2997	0.3773
72	0.1927	0.2287	0.2700	0.2977	0.3748
73	0.1914	0.2272	0.2682	0.2957	0.3724
74	0.1901	0.2257	0.2664	0.2938	0.3701
75	0.1888	0.2242	0.2647	0.2919	0.3678
76	0.1876	0.2227	0.2630	0.2900	0.3655
77	0.1864	0.2213	0.2613	0.2882	0.3633
78	0.1852	0.2199	0.2597	0.2864	0.3611
79	0.1841	0.2185	0.2581	0.2847	0.3589
80	0.1829	0.2172	0.2565	0.2830	0.3568
81	0.1818	0.2159	0.2550	0.2813	0.3547
82	0.1807	0.2146	0.2535	0.2796	0.3527
83	0.1796	0.2133	0.2520	0.2780	0.3507
84	0.1786	0.2120	0.2505	0.2764	0.3487
85	0.1775	0.2108	0.2491	0.2748	0.3468
86	0.1765	0.2096	0.2477	0.2732	0.3449
87	0.1755	0.2084	0.2463	0.2717	0.3430
88	0.1745	0.2072	0.2449	0.2702	0.3412
89	0.1735	0.2061	0.2435	0.2687	0.3393
90	0.1726	0.2050	0.2422	0.2673	0.3375
91	0.1716	0.2039	0.2409	0.2659	0.3358
92	0.1707	0.2028	0.2396	0.2645	0.3341
93	0.1698	0.2017	0.2384	0.2631	0.3323
94	0.1689	0.2006	0.2371	0.2617	0.3307
95	0.1680	0.1996	0.2359	0.2604	0.3290
96	0.1671	0.1986	0.2347	0.2591	0.3274
97	0.1663	0.1975	0.2335	0.2578	0.3258
98	0.1654	0.1966	0.2324	0.2565	0.3242
99	0.1646	0.1956	0.2312	0.2552	0.3226
100	0.1638	0.1946	0.2301	0.2540	0.3211

Tabel r untuk df = 101 - 150

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
101	0.1630	0.1937	0.2290	0.2528	0.3196
102	0.1622	0.1927	0.2279	0.2515	0.3181
103	0.1614	0.1918	0.2268	0.2504	0.3166
104	0.1606	0.1909	0.2257	0.2492	0.3152
105	0.1599	0.1900	0.2247	0.2480	0.3137
106	0.1591	0.1891	0.2236	0.2469	0.3123
107	0.1584	0.1882	0.2226	0.2458	0.3109
108	0.1576	0.1874	0.2216	0.2446	0.3095
109	0.1569	0.1865	0.2206	0.2436	0.3082
110	0.1562	0.1857	0.2196	0.2425	0.3068
111	0.1555	0.1848	0.2186	0.2414	0.3055
112	0.1548	0.1840	0.2177	0.2403	0.3042
113	0.1541	0.1832	0.2167	0.2393	0.3029
114	0.1535	0.1824	0.2158	0.2383	0.3016
115	0.1528	0.1816	0.2149	0.2373	0.3004
116	0.1522	0.1809	0.2139	0.2363	0.2991
117	0.1515	0.1801	0.2131	0.2353	0.2979
118	0.1509	0.1793	0.2122	0.2343	0.2967
119	0.1502	0.1786	0.2113	0.2333	0.2955
120	0.1496	0.1779	0.2104	0.2324	0.2943
121	0.1490	0.1771	0.2096	0.2315	0.2931
122	0.1484	0.1764	0.2087	0.2305	0.2920
123	0.1478	0.1757	0.2079	0.2296	0.2908
124	0.1472	0.1750	0.2071	0.2287	0.2897
125	0.1466	0.1743	0.2062	0.2278	0.2886
126	0.1460	0.1736	0.2054	0.2269	0.2875
127	0.1455	0.1729	0.2046	0.2260	0.2864
128	0.1449	0.1723	0.2039	0.2252	0.2853
129	0.1443	0.1716	0.2031	0.2243	0.2843
130	0.1438	0.1710	0.2023	0.2235	0.2832
131	0.1432	0.1703	0.2015	0.2226	0.2822
132	0.1427	0.1697	0.2008	0.2218	0.2811
133	0.1422	0.1690	0.2001	0.2210	0.2801
134	0.1416	0.1684	0.1993	0.2202	0.2791
135	0.1411	0.1678	0.1986	0.2194	0.2781
136	0.1406	0.1672	0.1979	0.2186	0.2771
137	0.1401	0.1666	0.1972	0.2178	0.2761
138	0.1396	0.1660	0.1965	0.2170	0.2752
139	0.1391	0.1654	0.1958	0.2163	0.2742
140	0.1386	0.1648	0.1951	0.2155	0.2733
141	0.1381	0.1642	0.1944	0.2148	0.2723
142	0.1376	0.1637	0.1937	0.2140	0.2714
143	0.1371	0.1631	0.1930	0.2133	0.2705
144	0.1367	0.1625	0.1924	0.2126	0.2696
145	0.1362	0.1620	0.1917	0.2118	0.2687
146	0.1357	0.1614	0.1911	0.2111	0.2678
147	0.1353	0.1609	0.1904	0.2104	0.2669
148	0.1348	0.1603	0.1898	0.2097	0.2660
149	0.1344	0.1598	0.1892	0.2090	0.2652
150	0.1339	0.1593	0.1886	0.2083	0.2643

Tabel r untuk df = 151 - 200

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
151	0.1335	0.1587	0.1879	0.2077	0.2635
152	0.1330	0.1582	0.1873	0.2070	0.2626
153	0.1326	0.1577	0.1867	0.2063	0.2618
154	0.1322	0.1572	0.1861	0.2057	0.2610
155	0.1318	0.1567	0.1855	0.2050	0.2602
156	0.1313	0.1562	0.1849	0.2044	0.2593
157	0.1309	0.1557	0.1844	0.2037	0.2585
158	0.1305	0.1552	0.1838	0.2031	0.2578
159	0.1301	0.1547	0.1832	0.2025	0.2570
160	0.1297	0.1543	0.1826	0.2019	0.2562
161	0.1293	0.1538	0.1821	0.2012	0.2554
162	0.1289	0.1533	0.1815	0.2006	0.2546
163	0.1285	0.1528	0.1810	0.2000	0.2539
164	0.1281	0.1524	0.1804	0.1994	0.2531
165	0.1277	0.1519	0.1799	0.1988	0.2524
166	0.1273	0.1515	0.1794	0.1982	0.2517
167	0.1270	0.1510	0.1788	0.1976	0.2509
168	0.1266	0.1506	0.1783	0.1971	0.2502
169	0.1262	0.1501	0.1778	0.1965	0.2495
170	0.1258	0.1497	0.1773	0.1959	0.2488
171	0.1255	0.1493	0.1768	0.1954	0.2481
172	0.1251	0.1488	0.1762	0.1948	0.2473
173	0.1247	0.1484	0.1757	0.1942	0.2467
174	0.1244	0.1480	0.1752	0.1937	0.2460
175	0.1240	0.1476	0.1747	0.1932	0.2453
176	0.1237	0.1471	0.1743	0.1926	0.2446
177	0.1233	0.1467	0.1738	0.1921	0.2439
178	0.1230	0.1463	0.1733	0.1915	0.2433
179	0.1226	0.1459	0.1728	0.1910	0.2426
180	0.1223	0.1455	0.1723	0.1905	0.2419
181	0.1220	0.1451	0.1719	0.1900	0.2413
182	0.1216	0.1447	0.1714	0.1895	0.2406
183	0.1213	0.1443	0.1709	0.1890	0.2400
184	0.1210	0.1439	0.1705	0.1884	0.2394
185	0.1207	0.1435	0.1700	0.1879	0.2387
186	0.1203	0.1432	0.1696	0.1874	0.2381
187	0.1200	0.1428	0.1691	0.1869	0.2375
188	0.1197	0.1424	0.1687	0.1865	0.2369
189	0.1194	0.1420	0.1682	0.1860	0.2363
190	0.1191	0.1417	0.1678	0.1855	0.2357
191	0.1188	0.1413	0.1674	0.1850	0.2351
192	0.1184	0.1409	0.1669	0.1845	0.2345
193	0.1181	0.1406	0.1665	0.1841	0.2339
194	0.1178	0.1402	0.1661	0.1836	0.2333
195	0.1175	0.1398	0.1657	0.1831	0.2327
196	0.1172	0.1395	0.1652	0.1827	0.2321
197	0.1169	0.1391	0.1648	0.1822	0.2315
198	0.1166	0.1388	0.1644	0.1818	0.2310
199	0.1164	0.1384	0.1640	0.1813	0.2304
200	0.1161	0.1381	0.1636	0.1809	0.2298

Titik Persentase Distribusi t
d.f. = 1 - 200

Diproduksi oleh: Junaidi
http://junaidichaniago.wordpress.com

Titik Persentase Distribusi t (df = 1 – 40)

Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
df	0.50	0.20	0.10	0.050	0.02	0.010	0.002
1	1.00000	3.07768	6.31375	12.70620	31.82052	63.65674	318.30884
2	0.81650	1.88562	2.91999	4.30265	6.96456	9.92484	22.32712
3	0.76489	1.63774	2.35336	3.18245	4.54070	5.84091	10.21453
4	0.74070	1.53321	2.13185	2.77645	3.74695	4.60409	7.17318
5	0.72669	1.47588	2.01505	2.57058	3.36493	4.03214	5.89343
6	0.71756	1.43976	1.94318	2.44691	3.14267	3.70743	5.20763
7	0.71114	1.41492	1.89458	2.36462	2.99795	3.49948	4.78529
8	0.70639	1.39682	1.85955	2.30600	2.89646	3.35539	4.50079
9	0.70272	1.38303	1.83311	2.26216	2.82144	3.24984	4.29681
10	0.69981	1.37218	1.81246	2.22814	2.76377	3.16927	4.14370
11	0.69745	1.36343	1.79588	2.20099	2.71808	3.10581	4.02470
12	0.69548	1.35622	1.78229	2.17881	2.68100	3.05454	3.92963
13	0.69383	1.35017	1.77093	2.16037	2.65031	3.01228	3.85198
14	0.69242	1.34503	1.76131	2.14479	2.62449	2.97684	3.78739
15	0.69120	1.34061	1.75305	2.13145	2.60248	2.94671	3.73283
16	0.69013	1.33676	1.74588	2.11991	2.58349	2.92078	3.68615
17	0.68920	1.33338	1.73961	2.10982	2.56693	2.89823	3.64577
18	0.68836	1.33039	1.73406	2.10092	2.55238	2.87844	3.61048
19	0.68762	1.32773	1.72913	2.09302	2.53948	2.86093	3.57940
20	0.68695	1.32534	1.72472	2.08596	2.52798	2.84534	3.55181
21	0.68635	1.32319	1.72074	2.07961	2.51765	2.83136	3.52715
22	0.68581	1.32124	1.71714	2.07387	2.50832	2.81876	3.50499
23	0.68531	1.31946	1.71387	2.06866	2.49987	2.80734	3.48496
24	0.68485	1.31784	1.71088	2.06390	2.49216	2.79694	3.46678
25	0.68443	1.31635	1.70814	2.05954	2.48511	2.78744	3.45019
26	0.68404	1.31497	1.70562	2.05553	2.47863	2.77871	3.43500
27	0.68368	1.31370	1.70329	2.05183	2.47266	2.77068	3.42103
28	0.68335	1.31253	1.70113	2.04841	2.46714	2.76326	3.40816
29	0.68304	1.31143	1.69913	2.04523	2.46202	2.75639	3.39624
30	0.68276	1.31042	1.69726	2.04227	2.45726	2.75000	3.38518
31	0.68249	1.30946	1.69552	2.03951	2.45282	2.74404	3.37490
32	0.68223	1.30857	1.69389	2.03693	2.44868	2.73848	3.36531
33	0.68200	1.30774	1.69236	2.03452	2.44479	2.73328	3.35634
34	0.68177	1.30695	1.69092	2.03224	2.44115	2.72839	3.34793
35	0.68156	1.30621	1.68957	2.03011	2.43772	2.72381	3.34005
36	0.68137	1.30551	1.68830	2.02809	2.43449	2.71948	3.33262
37	0.68118	1.30485	1.68709	2.02619	2.43145	2.71541	3.32563
38	0.68100	1.30423	1.68595	2.02439	2.42857	2.71156	3.31903
39	0.68083	1.30364	1.68488	2.02269	2.42584	2.70791	3.31279
40	0.68067	1.30308	1.68385	2.02108	2.42326	2.70446	3.30688

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 41 – 80)

Pr / df	0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.050	0.01 0.02	0.005 0.010	0.001 0.002
41	0.68052	1.30254	1.68288	2.01954	2.42080	2.70118	3.30127
42	0.68038	1.30204	1.68195	2.01808	2.41847	2.69807	3.29595
43	0.68024	1.30155	1.68107	2.01669	2.41625	2.69510	3.29089
44	0.68011	1.30109	1.68023	2.01537	2.41413	2.69228	3.28607
45	0.67998	1.30065	1.67943	2.01410	2.41212	2.68959	3.28148
46	0.67986	1.30023	1.67866	2.01290	2.41019	2.68701	3.27710
47	0.67975	1.29982	1.67793	2.01174	2.40835	2.68456	3.27291
48	0.67964	1.29944	1.67722	2.01063	2.40658	2.68220	3.26891
49	0.67953	1.29907	1.67655	2.00958	2.40489	2.67995	3.26508
50	0.67943	1.29871	1.67591	2.00856	2.40327	2.67779	3.26141
51	0.67933	1.29837	1.67528	2.00758	2.40172	2.67572	3.25789
52	0.67924	1.29805	1.67469	2.00665	2.40022	2.67373	3.25451
53	0.67915	1.29773	1.67412	2.00575	2.39879	2.67182	3.25127
54	0.67906	1.29743	1.67356	2.00488	2.39741	2.66998	3.24815
55	0.67898	1.29713	1.67303	2.00404	2.39608	2.66822	3.24515
56	0.67890	1.29685	1.67252	2.00324	2.39480	2.66651	3.24226
57	0.67882	1.29658	1.67203	2.00247	2.39357	2.66487	3.23948
58	0.67874	1.29632	1.67155	2.00172	2.39238	2.66329	3.23680
59	0.67867	1.29607	1.67109	2.00100	2.39123	2.66176	3.23421
60	0.67860	1.29582	1.67065	2.00030	2.39012	2.66028	3.23171
61	0.67853	1.29558	1.67022	1.99962	2.38905	2.65886	3.22930
62	0.67847	1.29536	1.66980	1.99897	2.38801	2.65748	3.22696
63	0.67840	1.29513	1.66940	1.99834	2.38701	2.65615	3.22471
64	0.67834	1.29492	1.66901	1.99773	2.38604	2.65485	3.22253
65	0.67828	1.29471	1.66864	1.99714	2.38510	2.65360	3.22041
66	0.67823	1.29451	1.66827	1.99656	2.38419	2.65239	3.21837
67	0.67817	1.29432	1.66792	1.99601	2.38330	2.65122	3.21639
68	0.67811	1.29413	1.66757	1.99547	2.38245	2.65008	3.21446
69	0.67806	1.29394	1.66724	1.99495	2.38161	2.64898	3.21260
70	0.67801	1.29376	1.66691	1.99444	2.38081	2.64790	3.21079
71	0.67796	1.29359	1.66660	1.99394	2.38002	2.64686	3.20903
72	0.67791	1.29342	1.66629	1.99346	2.37926	2.64585	3.20733
73	0.67787	1.29326	1.66600	1.99300	2.37852	2.64487	3.20567
74	0.67782	1.29310	1.66571	1.99254	2.37780	2.64391	3.20406
75	0.67778	1.29294	1.66543	1.99210	2.37710	2.64298	3.20249
76	0.67773	1.29279	1.66515	1.99167	2.37642	2.64208	3.20096
77	0.67769	1.29264	1.66488	1.99125	2.37576	2.64120	3.19948
78	0.67765	1.29250	1.66462	1.99085	2.37511	2.64034	3.19804
79	0.67761	1.29236	1.66437	1.99045	2.37448	2.63950	3.19663
80	0.67757	1.29222	1.66412	1.99006	2.37387	2.63869	3.19526

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 81 –120)

Pr / df	0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.050	0.01 0.02	0.005 0.010	0.001 0.002
81	0.67753	1.29209	1.66388	1.98969	2.37327	2.63790	3.19392
82	0.67749	1.29196	1.66365	1.98932	2.37269	2.63712	3.19262
83	0.67746	1.29183	1.66342	1.98896	2.37212	2.63637	3.19135
84	0.67742	1.29171	1.66320	1.98861	2.37156	2.63563	3.19011
85	0.67739	1.29159	1.66298	1.98827	2.37102	2.63491	3.18890
86	0.67735	1.29147	1.66277	1.98793	2.37049	2.63421	3.18772
87	0.67732	1.29136	1.66256	1.98761	2.36998	2.63353	3.18657
88	0.67729	1.29125	1.66235	1.98729	2.36947	2.63286	3.18544
89	0.67726	1.29114	1.66216	1.98698	2.36898	2.63220	3.18434
90	0.67723	1.29103	1.66196	1.98667	2.36850	2.63157	3.18327
91	0.67720	1.29092	1.66177	1.98638	2.36803	2.63094	3.18222
92	0.67717	1.29082	1.66159	1.98609	2.36757	2.63033	3.18119
93	0.67714	1.29072	1.66140	1.98580	2.36712	2.62973	3.18019
94	0.67711	1.29062	1.66123	1.98552	2.36667	2.62915	3.17921
95	0.67708	1.29053	1.66105	1.98525	2.36624	2.62858	3.17825
96	0.67705	1.29043	1.66088	1.98498	2.36582	2.62802	3.17731
97	0.67703	1.29034	1.66071	1.98472	2.36541	2.62747	3.17639
98	0.67700	1.29025	1.66055	1.98447	2.36500	2.62693	3.17549
99	0.67698	1.29016	1.66039	1.98422	2.36461	2.62641	3.17460
100	0.67695	1.29007	1.66023	1.98397	2.36422	2.62589	3.17374
101	0.67693	1.28999	1.66008	1.98373	2.36384	2.62539	3.17289
102	0.67690	1.28991	1.65993	1.98350	2.36346	2.62489	3.17206
103	0.67688	1.28982	1.65978	1.98326	2.36310	2.62441	3.17125
104	0.67686	1.28974	1.65964	1.98304	2.36274	2.62393	3.17045
105	0.67683	1.28967	1.65950	1.98282	2.36239	2.62347	3.16967
106	0.67681	1.28959	1.65936	1.98260	2.36204	2.62301	3.16890
107	0.67679	1.28951	1.65922	1.98238	2.36170	2.62256	3.16815
108	0.67677	1.28944	1.65909	1.98217	2.36137	2.62212	3.16741
109	0.67675	1.28937	1.65895	1.98197	2.36105	2.62169	3.16669
110	0.67673	1.28930	1.65882	1.98177	2.36073	2.62126	3.16598
111	0.67671	1.28922	1.65870	1.98157	2.36041	2.62085	3.16528
112	0.67669	1.28916	1.65857	1.98137	2.36010	2.62044	3.16460
113	0.67667	1.28909	1.65845	1.98118	2.35980	2.62004	3.16392
114	0.67665	1.28902	1.65833	1.98099	2.35950	2.61964	3.16326
115	0.67663	1.28896	1.65821	1.98081	2.35921	2.61926	3.16262
116	0.67661	1.28889	1.65810	1.98063	2.35892	2.61888	3.16198
117	0.67659	1.28883	1.65798	1.98045	2.35864	2.61850	3.16135
118	0.67657	1.28877	1.65787	1.98027	2.35837	2.61814	3.16074
119	0.67656	1.28871	1.65776	1.98010	2.35809	2.61778	3.16013
120	0.67654	1.28865	1.65765	1.97993	2.35782	2.61742	3.15954

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 121 –160)

Pr / df	0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.050	0.01 0.02	0.005 0.010	0.001 0.002
121	0.67652	1.28859	1.65754	1.97976	2.35756	2.61707	3.15895
122	0.67651	1.28853	1.65744	1.97960	2.35730	2.61673	3.15838
123	0.67649	1.28847	1.65734	1.97944	2.35705	2.61639	3.15781
124	0.67647	1.28842	1.65723	1.97928	2.35680	2.61606	3.15726
125	0.67646	1.28836	1.65714	1.97912	2.35655	2.61573	3.15671
126	0.67644	1.28831	1.65704	1.97897	2.35631	2.61541	3.15617
127	0.67643	1.28825	1.65694	1.97882	2.35607	2.61510	3.15565
128	0.67641	1.28820	1.65685	1.97867	2.35583	2.61478	3.15512
129	0.67640	1.28815	1.65675	1.97852	2.35560	2.61448	3.15461
130	0.67638	1.28810	1.65666	1.97838	2.35537	2.61418	3.15411
131	0.67637	1.28805	1.65657	1.97824	2.35515	2.61388	3.15361
132	0.67635	1.28800	1.65648	1.97810	2.35493	2.61359	3.15312
133	0.67634	1.28795	1.65639	1.97796	2.35471	2.61330	3.15264
134	0.67633	1.28790	1.65630	1.97783	2.35450	2.61302	3.15217
135	0.67631	1.28785	1.65622	1.97769	2.35429	2.61274	3.15170
136	0.67630	1.28781	1.65613	1.97756	2.35408	2.61246	3.15124
137	0.67628	1.28776	1.65605	1.97743	2.35387	2.61219	3.15079
138	0.67627	1.28772	1.65597	1.97730	2.35367	2.61193	3.15034
139	0.67626	1.28767	1.65589	1.97718	2.35347	2.61166	3.14990
140	0.67625	1.28763	1.65581	1.97705	2.35328	2.61140	3.14947
141	0.67623	1.28758	1.65573	1.97693	2.35309	2.61115	3.14904
142	0.67622	1.28754	1.65566	1.97681	2.35289	2.61090	3.14862
143	0.67621	1.28750	1.65558	1.97669	2.35271	2.61065	3.14820
144	0.67620	1.28746	1.65550	1.97658	2.35252	2.61040	3.14779
145	0.67619	1.28742	1.65543	1.97646	2.35234	2.61016	3.14739
146	0.67617	1.28738	1.65536	1.97635	2.35216	2.60992	3.14699
147	0.67616	1.28734	1.65529	1.97623	2.35198	2.60969	3.14660
148	0.67615	1.28730	1.65521	1.97612	2.35181	2.60946	3.14621
149	0.67614	1.28726	1.65514	1.97601	2.35163	2.60923	3.14583
150	0.67613	1.28722	1.65508	1.97591	2.35146	2.60900	3.14545
151	0.67612	1.28718	1.65501	1.97580	2.35130	2.60878	3.14508
152	0.67611	1.28715	1.65494	1.97569	2.35113	2.60856	3.14471
153	0.67610	1.28711	1.65487	1.97559	2.35097	2.60834	3.14435
154	0.67609	1.28707	1.65481	1.97549	2.35081	2.60813	3.14400
155	0.67608	1.28704	1.65474	1.97539	2.35065	2.60792	3.14364
156	0.67607	1.28700	1.65468	1.97529	2.35049	2.60771	3.14330
157	0.67606	1.28697	1.65462	1.97519	2.35033	2.60751	3.14295
158	0.67605	1.28693	1.65455	1.97509	2.35018	2.60730	3.14261
159	0.67604	1.28690	1.65449	1.97500	2.35003	2.60710	3.14228
160	0.67603	1.28687	1.65443	1.97490	2.34988	2.60691	3.14195

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 161 –200)

Pr / df	0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.050	0.01 0.02	0.005 0.010	0.001 0.002
161	0.67602	1.28683	1.65437	1.97481	2.34973	2.60671	3.14162
162	0.67601	1.28680	1.65431	1.97472	2.34959	2.60652	3.14130
163	0.67600	1.28677	1.65426	1.97462	2.34944	2.60633	3.14098
164	0.67599	1.28673	1.65420	1.97453	2.34930	2.60614	3.14067
165	0.67598	1.28670	1.65414	1.97445	2.34916	2.60595	3.14036
166	0.67597	1.28667	1.65408	1.97436	2.34902	2.60577	3.14005
167	0.67596	1.28664	1.65403	1.97427	2.34888	2.60559	3.13975
168	0.67595	1.28661	1.65397	1.97419	2.34875	2.60541	3.13945
169	0.67594	1.28658	1.65392	1.97410	2.34862	2.60523	3.13915
170	0.67594	1.28655	1.65387	1.97402	2.34848	2.60506	3.13886
171	0.67593	1.28652	1.65381	1.97393	2.34835	2.60489	3.13857
172	0.67592	1.28649	1.65376	1.97385	2.34822	2.60471	3.13829
173	0.67591	1.28646	1.65371	1.97377	2.34810	2.60455	3.13801
174	0.67590	1.28644	1.65366	1.97369	2.34797	2.60438	3.13773
175	0.67589	1.28641	1.65361	1.97361	2.34784	2.60421	3.13745
176	0.67589	1.28638	1.65356	1.97353	2.34772	2.60405	3.13718
177	0.67588	1.28635	1.65351	1.97346	2.34760	2.60389	3.13691
178	0.67587	1.28633	1.65346	1.97338	2.34748	2.60373	3.13665
179	0.67586	1.28630	1.65341	1.97331	2.34736	2.60357	3.13638
180	0.67586	1.28627	1.65336	1.97323	2.34724	2.60342	3.13612
181	0.67585	1.28625	1.65332	1.97316	2.34713	2.60326	3.13587
182	0.67584	1.28622	1.65327	1.97308	2.34701	2.60311	3.13561
183	0.67583	1.28619	1.65322	1.97301	2.34690	2.60296	3.13536
184	0.67583	1.28617	1.65318	1.97294	2.34678	2.60281	3.13511
185	0.67582	1.28614	1.65313	1.97287	2.34667	2.60267	3.13487
186	0.67581	1.28612	1.65309	1.97280	2.34656	2.60252	3.13463
187	0.67580	1.28610	1.65304	1.97273	2.34645	2.60238	3.13438
188	0.67580	1.28607	1.65300	1.97266	2.34635	2.60223	3.13415
189	0.67579	1.28605	1.65296	1.97260	2.34624	2.60209	3.13391
190	0.67578	1.28602	1.65291	1.97253	2.34613	2.60195	3.13368
191	0.67578	1.28600	1.65287	1.97246	2.34603	2.60181	3.13345
192	0.67577	1.28598	1.65283	1.97240	2.34593	2.60168	3.13322
193	0.67576	1.28595	1.65279	1.97233	2.34582	2.60154	3.13299
194	0.67576	1.28593	1.65275	1.97227	2.34572	2.60141	3.13277
195	0.67575	1.28591	1.65271	1.97220	2.34562	2.60128	3.13255
196	0.67574	1.28589	1.65267	1.97214	2.34552	2.60115	3.13233
197	0.67574	1.28586	1.65263	1.97208	2.34543	2.60102	3.13212
198	0.67573	1.28584	1.65259	1.97202	2.34533	2.60089	3.13190
199	0.67572	1.28582	1.65255	1.97196	2.34523	2.60076	3.13169
200	0.67572	1.28580	1.65251	1.97190	2.34514	2.60063	3.13148

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung